

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3466	(generator or generators or motor or motors) and (high near3 (spool or stage)) and (low near3 (spool or stage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:00
L2	68617	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:00
L3	2686	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combustor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:04
L4	864	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combustor) and "heat exchanger"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:05
L5	1018	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combustor) and ("60"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:06
L6	398	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combustor) and ("60"/\$. ccls.) and "heat exchanger"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:10
L7	436	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combustor) and ("60"/\$. ccls.) and (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:11

L8	8	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ("60"/\$. ccls.) and ((generator or generation or generating or generated) near3 (mode or modes)) and (motor near3 (mode or modes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:15
L9	18	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ("60"/\$. ccls.) and (motor near3 (mode or modes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:47
L10	2	"3552122".PN.	USPAT; USOCR	OR	OFF	2005/04/11 11:36
L11	2	"2357041".PN.	USPAT; USOCR	OR	OFF	2005/04/11 11:37
L12	2	"2941790".PN.	USPAT; USOCR	OR	OFF	2005/04/11 11:37
L13	2	"2714670".PN.	USPAT; USOCR	OR	OFF	2005/04/11 11:37
L14	2	"2632297".PN.	USPAT; USOCR	OR	OFF	2005/04/11 11:37
L15	2	"2706150".PN.	USPAT; USOCR	OR	OFF	2005/04/11 11:37
L16	1	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ("60"/\$. ccls.) and (motor near3 (mode or modes)) and (rectifier or rectifiers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:48
L17	8	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ("60"/\$. ccls.) and (rectifier or rectifiers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:50
L18	111	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and (rectifier or rectifiers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:51

L19	3	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ((electronics or electronic) near5 (rectifier or rectifiers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 11:54
L20	8	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ((electronics or electronic) near5 (rectifier or rectifiers or inverter or inverters))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 12:37
L21	119	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and ((alternate or alternating or alternated) near3 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 12:38
L22	20	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and (generator near5 ((alternate or alternating or alternated) near3 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 12:57
L23	20	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and (generator near5 ((alternate or alternating or alternated) near3 current)) and ((alternate or alternating or alternated) near3 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 12:57
L24	26	(generator or generators or motor or motors) and ((high or first or second) near3 (spool or stage)) and ((low or first or second) near3 (spool or stage)) and ("combustion chamber" or combustor or combuster) and (generator same ((alternate or alternating or alternated) near3 current)) and ((alternate or alternating or alternated) near3 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 12:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	"5689141"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:56
L2	142	"60"/\$.ccls. and (generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:59
L3	85	"60"/\$.ccls. and (generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:00
L4	4968	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:00
L5	2826	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and (mode or modes) and ((control or controller or controlling or controlled) near10 (generator or motor or generators or motors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:01

L6	2505	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and (mode or modes) and ((control or controller or controlling or controlled) near5 (generator or motor or generators or motors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:01
L7	835	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and (mode or modes) and ((control or controller or controlling or controlled) near5 (generator or motor or generators or motors)) and (shaft or shafts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:03
L8	39	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and (mode or modes) and ((control or controller or controlling or controlled) near5 (generator or motor or generators or motors)) and (shaft or shafts) and "gas turbine"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:03
L9	12	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and ((generation or motor) near3 (mode or modes)) and ((control or controller or controlling or controlled) near5 (generator or motor or generators or motors)) and (shaft or shafts) and "gas turbine"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:04

L10	124	(generator or motor or generators or motors) and ((high or first or second) near3 (stage or spool)) and ((low or first or second) near3 (stage or spool)) and (control or controller or controlling or controlled) and ("AC" or ((alternate or alternating or alternated or alternator) near3 current)) and ((generation or motor) near3 (mode or modes)) and ((control or controller or controlling or controlled) near5 (generator or motor or generators or motors)) and (shaft or shafts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:53
L11	725	323/234.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 14:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	"5689141"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 09:45
L2	11	"6066898"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 09:46
L3	2	"2003126864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 09:47
L4	384106	robert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 09:47
L5	3083	robert.in. and "60"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 09:48
L6	9	("thompson robert".in.) and "60"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 09:48